



**HAL**  
open science

# Assessment by regional modelling of the impact of monopile foundations on the hydrodynamics and sediment transport: case of Courseulles-sur-Mer (France) wind farm

Aurélie Rivier, Anne-Claire Bennis, Grégory Pinon, Vanessa Magar, Markus Gross

## ► To cite this version:

Aurélie Rivier, Anne-Claire Bennis, Grégory Pinon, Vanessa Magar, Markus Gross. Assessment by regional modelling of the impact of monopile foundations on the hydrodynamics and sediment transport: case of Courseulles-sur-Mer (France) wind farm. EGU General Assembly, Apr 2015, Vienne, Austria. hal-02084817

**HAL Id: hal-02084817**

**<https://normandie-univ.hal.science/hal-02084817>**

Submitted on 18 May 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Assessment by regional modelling of the impact of monopile foundations on the hydrodynamics and sediment transport: case of Courseulles-sur-Mer (France) wind farm

Aurélie RIVIER (1), Anne-Claire BENNIS (1), Grégory PINON (2), Vanesa MAGAR (3), and Markus GROSS (3)

(1) Laboratoire de Morphodynamique continentale et côtière M2C, Université de Caen Basse-Normandie, Caen, France (aurelie.rivier@unicaen.fr), (2) Laboratoire Ondes et Milieux Complexes LOMC, Université du Havre, Le Havre, France, (3) Departamento de Oceanografía Física, CICESE, Ensenada, B.C., Mexico

Offshore monopile foundations of wind turbines modify hydrodynamics and sediment transport at local scale and also at regional scale. The aim of this work is to assess these changes and to parametrize them in a regional model. These modifications were previously evaluated using the regional circulation model MARS3D (Lazure and Dumas, 2008) in tests-cases (Rivier et al., 2014) using two approaches: in the first approach, monopiles are explicitly modelled in the mesh as dry cells and in the second approach a sub-grid parametrization which considers the drag force exerted by a monopile on the flow is used. The sub-grid parametrization is improved close to the bed in this paper by adding a drag force term in the momentum equations, source terms in the turbulence model and by increasing the bed shear stress at monopile location. Changes in hydrodynamics regime, especially near-bed, affect sediment transport regime and modifications due to monopiles on sediment dynamics is also investigated using the MARS3D sediment transport module (Le Hir et al., 2011) which solves the advection-diffusion equations. Test-cases are run using hydrodynamical conditions and sediment grain sizes typical from the area located off Courseulles-sur-Mer (Normandy, France) where an offshore wind farm is planned to be built. Velocity, turbulent kinetic energy and bed thickness changes due to the monopile simulated by both approaches are compared to each other and to experimental measurements made in a flume at the University of Caen or to published data (e.g. Roulund et al., 2005; Dargahi, 1989). Then the model is applied in a real configuration on an area including the future offshore wind farm of Courseulles-sur-Mer. Four monopiles are represented in the model using both approaches and modifications of the hydrodynamics and sediment transport are assessed along a tidal cycle. Currents increase at the side edge of the monopile and decrease in front of and downstream the monopile. Turbulent kinetic energy strongly increase as expected upstream the monopile. Resuspension and erosion occurs around the monopile in locations where current speeds increase due to the monopile presence and sediments deposit downstream where the bed shear stress is lower. The pattern of bed erosion is modified depending of current velocity.

## References

- Dargahi, B. 1989. The turbulent flow field around a circular cylinder. *Experiments in Fluids*, 8(1-2), 1-12.
- Lazure, P. and Dumas, F. (2008). external-internal mode coupling for a 3D hydrodynamical model for applications at regional scale (MARS). *Advances in Water Resources* 31(2), 233-250.
- Le Hir, P., Cayocca, F. and Waeles, B. (2011). Dynamics of sand and mud mixtures: a multiprocess-based modelling strategy. *Continental Shelf Research* 31(10), 135-149.
- Rivier, A., Bennis, A.-C., Pinon, G., Gross, M. and Magar, V. (2014). Regional numerical modelling of offshore monopile wind turbine impacts on hydrodynamics and sediment transport. *Proceeding of the 1st International Conference on Renewable Energies Offshore*, November 2014, Lisbonne, Portugal.
- Roulund, A., Sumer, B. M., Fredsøe, J., & Michelsen, J. 2005. Numerical and experimental investigation of flow and scour around a circular pile. *Journal of Fluid Mechanics*, 534, 351-401.