



**HAL**  
open science

## Correction: Synthesis of nanostructured catalysts by surfactant-templating of large-pore zeolites

Aqeel Al-Ani, Josiah Haslam, Natalie Mordvinova, Oleg Lebedev, Aurélie Vicente, Christian Fernandez, Vladimir Zholobenko

### ► To cite this version:

Aqeel Al-Ani, Josiah Haslam, Natalie Mordvinova, Oleg Lebedev, Aurélie Vicente, et al.. Correction: Synthesis of nanostructured catalysts by surfactant-templating of large-pore zeolites. *Nanoscale Advances*, 2019, 1 (10), pp.4174-4174. 10.1039/c9na90049g . hal-02390368

**HAL Id: hal-02390368**

**<https://normandie-univ.hal.science/hal-02390368>**

Submitted on 28 May 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

Cite this: *Nanoscale Adv.*, 2019, 1, 4174

DOI: 10.1039/c9na90049g

rsc.li/nanoscale-advances

## Correction: Synthesis of nanostructured catalysts by surfactant-templating of large-pore zeolites

Aqeel Al-Ani,<sup>\*ab</sup> Josiah J. C. Haslam,<sup>a</sup> Natalie E. Mordvinova,<sup>c</sup> Oleg I. Lebedev,<sup>c</sup> Aurélie Vicente,<sup>d</sup> Christian Fernandez<sup>d</sup> and Vladimir Zholobenko<sup>\*a</sup>Correction for 'Synthesis of nanostructured catalysts by surfactant-templating of large-pore zeolites' by Aqeel Al-Ani *et al.*, *Nanoscale Adv.*, 2019, 1, 2029–2039.

The following amendments have been suggested:

### Introduction

The surfactant-templated mesostructuring approach, introduced in ref. 21 and 25, allows for a more precise control of the intracrystalline mesoporosity introduced while retaining the main properties of the zeolites, including their microporosity, catalytic activity, and hydrothermal stability. For these reasons, surfactant-templated zeolites have been successfully commercialised.<sup>22,36</sup>

### Experimental section

The preparation of mesostructured faujasites followed the general procedure introduced in ref. 25.

### Results and discussion

In agreement with previous reports,<sup>18,25,44</sup> our results demonstrate that TIPB conversion increases for all zeolites following their mesostructuring treatment.

### Acknowledgments

The authors would like to thank Professor Javier Garcia-Martinez and Dr Eric Li for the useful information provided regarding the synthesis of surfactant-templated zeolites.

### References

The reference numbers cited here correspond to those in the original paper.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup>School of Chemical and Physical Sciences, Keele University, Keele, Staffordshire, ST5 5BG, UK. E-mail: a.a.t.al-ani@keele.ac.uk

<sup>b</sup>Oil Marketing Company (SOMO), Baghdad, Iraq

<sup>c</sup>Laboratoire CRISMAT, ENSICAEN, UMR CNRS 6508, 6 Boulevard du Maréchal Juin, 14050, Caen Cedex 04, France

<sup>d</sup>Normandie Univ, ENSICAEN, UNICAEN, CNRS, Laboratoire Catalyse et Spectrochimie, 14000 Caen, France

