



HAL
open science

Draft Genome Sequence of *Lactobacillus crispatus* CIP 104459, Isolated from a Vaginal Swab

Maximilien Clabaut, Amine Boukerb, Pierre-Jean Racine, Chantal Pichon, Coralie Kremser, Jean-Pierre Picot, Madina Karsybayeva, Gérard Redziniak, Sylvie Chevalier, Marc Feuilloley

► To cite this version:

Maximilien Clabaut, Amine Boukerb, Pierre-Jean Racine, Chantal Pichon, Coralie Kremser, et al.. Draft Genome Sequence of *Lactobacillus crispatus* CIP 104459, Isolated from a Vaginal Swab. *Microbiology Resource Announcements*, 2020, 9 (2), <10.1128/MRA.01373-19>. <hal-02535839>

HAL Id: hal-02535839

<https://normandie-univ.hal.science/hal-02535839v1>

Submitted on 16 Dec 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization



Draft Genome Sequence of *Lactobacillus crispatus* CIP 104459, Isolated from a Vaginal Swab

Maximilien Clabaut,^a  Amine M. Boukerb,^a Pierre-Jean Racine,^a Chantal Pichon,^b Coralie Kremser,^c Jean-Pierre Picot,^d Madina Karsybayeva,^e Gérard Redziniak,^f Sylvie Chevalier,^a  Marc G. J. Feuilloley^a

^aLaboratoire de Microbiologie Signaux et Microenvironnement (LMSM), EA4312, Université de Rouen Normandie, Normandie Université, Évreux, France

^bCentre de Biophysique Moléculaire, CNRS UPR4301, Orléans, France

^cGimoPharm, Longjumeau, France

^dSeqens, Limoges, France

^eRemedials Laboratoire, Paris, France

^fCosmetic Inventions, Antony, France

Maximilien Clabaut and Amine M. Boukerb contributed equally to this work. Author order was determined by the order of involvement in experimental study and project management.

ABSTRACT We report the draft genome sequence of *Lactobacillus crispatus* CIP 104459, isolated from a human vaginal swab. This draft genome consists of 1,993,673 bp, with 36.8% G+C content and 2,024 predicted protein-encoding sequences.

Lactobacilli are the predominant vaginal microbiota found in healthy women of reproductive age. Several studies have revealed that vaginal disorders and dysbiosis are closely related to lactobacillus decrease and pathogen increase (1). *Lactobacillus crispatus* is one of the dominant species in the normal vaginal environment and plays an important role in preventing infections such as bacterial vaginosis (BV) and in modulating inflammation (2). *L. crispatus* is a producer of lactic acid, hydrogen peroxide, and other antimicrobial compounds that inhibit the growth (3), hyphae, and biofilm formation of *Candida albicans* (4) and reduce the cytotoxicity of *Gardnerella vaginalis* (5) and the infectivity of *Chlamydia trachomatis* (6). *L. crispatus* seems to possess additional protective mechanisms against BV and contributes to the maintenance of the normal vaginal microbiota (2).

L. crispatus CIP 104459 was isolated on 1 January 1955 from a human vaginal swab in the maternity ward of La Croix-Rousse Hospital (Lyon, France). This strain was obtained from the Collection of Institut Pasteur (CRBIP—microorganism biobank catalogue) in Paris, France. The bacterial isolate was grown anaerobically onto de Man, Rogosa, and Sharpe (MRS) medium agar plates (ISO, VWR reference 84607.0500) overnight at 37°C under static conditions. The purified bacterial isolate was obtained by single-colony isolation, which was later maintained at –80°C using MRS medium supplemented with 20% glycerol.

In a first step, *L. crispatus* strain CIP 104459 was identified by total proteome analysis (data not shown). Subsequently, 16S rRNA gene sequencing was performed, and the blast algorithm allowed sequence comparison with other *L. crispatus* strains reported in the NCBI 16S RefSeq database. Since the 16S rRNA gene sequence of strain CIP 104459 displayed 100% sequence identity with those of *L. crispatus* strains V4, CO3MRS11, and AB70 (GenBank accession numbers [SRLG00000000](#), [CP033426](#), and [CP026503](#), respectively), CIP 104459 was identified as belonging to the species *L. crispatus*.

Genomic DNA was extracted from *L. crispatus* CIP 104459 grown in MRS broth for 24 h using a GeneJET genomic extraction kit, as per the manufacturer's instructions

Citation Clabaut M, Boukerb AM, Racine P-J, Pichon C, Kremser C, Picot J-P, Karsybayeva M, Redziniak G, Chevalier S, Feuilloley MGJ. 2020. Draft genome sequence of *Lactobacillus crispatus* CIP 104459, isolated from a vaginal swab. *Microbiol Resour Announc* 9:e01373-19. <https://doi.org/10.1128/MRA.01373-19>.

Editor Vincent Bruno, University of Maryland School of Medicine

Copyright © 2020 Clabaut et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](#).

Address correspondence to Marc G. J. Feuilloley, marc.feuilleley@univ-rouen.fr.

Received 18 November 2019

Accepted 6 December 2019

Published 9 January 2020

(catalog number K0721; Thermo Scientific), after treatment for 60 min with a lysozyme-containing solution (20 mM Tris-HCl [pH 8.0], 2 mM EDTA, 1.2% Triton X-100, 20 mg/ml lysozyme). The genomic DNA was then sequenced on an Illumina MiSeq platform, as described by Clabaut et al. (7), using 250-bp paired-end (PE) read sequencing.

Default parameters were used for all software, unless otherwise noted. Sequencing resulted in 1,708,490 raw PE reads that were trimmed and quality filtered using Trimmomatic v0.36 (8) and then assembled into contigs using Unicycler v0.4.7 (9), with default parameters. This resulted in 428× coverage and 124 contigs, with a G+C content of 36.8%, an N_{50} value of 38,667 bp, an L_{50} value of 19, and a genome size of 1,993,673 bp, as calculated using QUAST v5.0.0 (10). Whole-genome *de novo* gene prediction was performed using Prokka v1.13.4 (11). This prediction resulted in 2,024 putative protein-encoding genes, 59 tRNA genes, and 3 rRNA genes.

Data availability. This whole-genome sequencing project has been deposited at DDBJ/ENA/GenBank under BioProject accession number [PRJNA557339](https://www.ncbi.nlm.nih.gov/bioproject/PRJNA557339), and the corresponding assembly was deposited under accession number [VOMA00000000](https://www.ncbi.nlm.nih.gov/assembly/VOMA00000000). The version described in this paper is the first version, VOMA00000000.1. The raw data reads have been deposited in the Sequence Read Archive (SRA) database under accession number [SRR9860122](https://www.ncbi.nlm.nih.gov/sra/SRR9860122).

ACKNOWLEDGMENTS

M.C. is the recipient of a doctoral grant financed by the FUI GYNCEUTICS program (Region Normandy, BPI). A.M.B. is the recipient of a postdoctoral grant from the Region Normandy and European Union (FEDER).

The LMSM is a member of the industrial cluster Cosmetic Valley and of CNRS GDR 3711 Cosm'Actifs.

REFERENCES

- Petrova MI, Lievens E, Malik S, Imholz N, Lebeer S. 2015. Lactobacillus species as biomarkers and agents that can promote various aspects of vaginal health. *Front Physiol* 6:81. <https://doi.org/10.3389/fphys.2015.00081>.
- Vaneechoutte M. 2017. The human vaginal microbial community. *Res Microbiol* 168:811–825. <https://doi.org/10.1016/j.resmic.2017.08.001>.
- Kaewsrichan J, Peeyanjarassri K, Kongprasertkit J. 2006. Selection and identification of anaerobic lactobacilli producing inhibitory compounds against vaginal pathogens. *FEMS Immunol Med Microbiol* 48:75–83. <https://doi.org/10.1111/j.1574-695X.2006.00124.x>.
- Jang SJ, Lee K, Kwon B, You HJ, Ko G. 2019. Vaginal lactobacilli inhibit growth and hyphae formation of *Candida albicans*. *Sci Rep* 9:8121. <https://doi.org/10.1038/s41598-019-44579-4>.
- Castro J, Martins AP, Rodrigues ME, Cerca N. 2018. *Lactobacillus crispatus* represses vaginolysin expression by BV associated *Gardnerella vaginalis* and reduces cell cytotoxicity. *Anaerobe* 50:60–63. <https://doi.org/10.1016/j.anaerobe.2018.01.014>.
- Parolin C, Frisco G, Foschi C, Giordani B, Salvo M, Vitali B, Marangoni A, Calonghi N. 2018. *Lactobacillus crispatus* BC5 interferes with *Chlamydia trachomatis* infectivity through integrin modulation in cervical cells. *Front Microbiol* 9:2630. <https://doi.org/10.3389/fmicb.2018.02630>.
- Clabaut M, Boukerb AM, Racine P-J, Pichon C, Kremser C, Queiroz A, Karsybayeva M, Redziniak G, Chevalier S, Feuilloley MGJ. 2019. Draft genome sequence of *Lactobacillus crispatus* strain V4, isolated from a vaginal swab from a young healthy nonmenopausal woman. *Microbiol Resour Announc* 8:e00856-19. <https://doi.org/10.1128/MRA.00856-19>.
- Bolger AM, Lohse M, Usadel B. 2014. Trimmomatic: a flexible trimmer for Illumina sequence data. *Bioinformatics* 30:2114–2120. <https://doi.org/10.1093/bioinformatics/btu170>.
- Wick RR, Judd LM, Gorrie CL, Holt KE. 2017. Unicycler: resolving bacterial genome assemblies from short and long sequencing reads. *PLoS Comput Biol* 13:e1005595. <https://doi.org/10.1371/journal.pcbi.1005595>.
- Mikheenko A, Prjibelski A, Saveliev V, Antipov D, Gurevich A. 2018. Versatile genome assembly evaluation with QUAST-LG. *Bioinformatics* 34:i142–i150. <https://doi.org/10.1093/bioinformatics/bty266>.
- Seemann T. 2014. Prokka: rapid prokaryotic genome annotation. *Bioinformatics* 30:2068–2069. <https://doi.org/10.1093/bioinformatics/btu153>.